## THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 14th April 1939, published under Article 141 of the Articles of Association.

| LIABILITIES | | ASSETS | |
|---|---|---|---|
| | Rs. | | Rs. |
| To Capital Receipts .. .. | 20,00,000 | By Cash in hand and at Bankers .. | 19,73,034 |
| ,, Reserve Fund .. .. | 26,50,000 | ,, Loans and Cash Credit Accounts | 193,10,968 |
| ,, Public and other Deposits .. | 270,52,238 | ,, Bills discounted and purchased .. | 10,88,647 |
| ,, Sundries .. .. | 3,79,370 | ,, Investments .. .. .. | 87,56,979 |
| | | ,, Balance at Agencies .. .. | .. |
| | | ,, Dead Stock .. .. | 8,34,671 |
| | | ,, Sundries .. .. | 1,17,309 |
| Total | 320,81,608 | Rs. | 320,81,608 |

(Annas and pies omitted.)

BANGALORE,
*Dated 12th April* 1939.

F. L. PERADON,
*Manager.*

## OFFICE OF THE SCHOOL BOARD ASSISTANT, CHIKMAGALUR RANGE, CHIKMAGALUR.

*Notification No. C.* 198—37-38, *dated* 9—16*th December* 1938.

R. S. Puttashantamma, Assistant Mistress, Town Primary Girls' School, Chikmagalur, is permitted to change her initials from R. S. to "E" by the School Board, Kadur District, at its meeting held on 27th May 1938, conveyed in S. B. O.'s letter No. B1-966-564—37-38, dated 29th June 1938.

B. SREENIVASA RAO,
*School Board Assistant.*

I, M. A. Srinivasa Iyengar, son of the late Mr. M. A. Narasimhachar, have shortened my name to M. A. Srinivasan for personal convenience.

M. A. SRINIVASA IYENGAR.

## GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

*No. S. P. C.* 27086-100, *dated* 11*th April* 1939.

To

*The Firms dealing in Electrical Equipment.*

*Enquiry No.* 3381.

GROUND DETECTORS FOR KOLAR GOLD FIELDS.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following materials:—

4—Electrostatic Ground Detectors, Switchboard pattern for use on 2,300 volts, 25 cycles, 3 phase, 3 wire ungrounded system.

They shall be of the pointer type with graduated scales without any fuses.

Full details of the constructional features, principles of operation and the overall dimensions of the detectors offered shall be submitted along with the quotations.

The price to be quoted should be for delivery c.i.f., Madras and f.o.r., Champion Reefs, Kolar Gold Fields.

This enquiry will close on the 15th May 1939.

---

*No. S. P. C.* 27052-76, *dated* 11*th April* 1939.

To

*The Firms dealing in Oil Engines.*

*Enquiry No.* 3383.

CRUDE OIL ENGINE FOR WELL BORING SECTION.

GENTLEMEN,

Please be good enough to intimate your best prices delivered f.o.r., Bangalore and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order, as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Crude Oil Engine for well boring section" with the above enquiry Number.

This enquiry will be closed on the 26th April 1939.

SCHEDULE.

*Two*—Crude Oil Engines, Horizontal wick starting 2 stroke, arranged for Hopper cooling and capable of developing 14 normal B.H.P. when running at a speed of 600 r.p.m., complete with two industrial type fly wheels, starting handle, Builtin fuel and lubrication oil tanks, foundation bolts, spanners, and tools, and a supply of spare parts.

This engine is to be arranged for hand starting and the crank shaft extension required is only $4\frac{1}{2}$" on either side of the fly wheel.

*N.B.*—Quotation for the supply of the engine from stock will be preferred.

---

*No. S. P. C. 27345-54, dated 11th April 1939.*

To

*The Firms dealing in Pyrometers.*

*Enquiry No. 3390.*

PYROMETER.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Pyrometer" with the above enquiry Number.

This enquiry will be closed on the 30th April 1939.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| 1 | Pyrometer to register up to 1,600°C .. .. | One | *Bangalore* | |

*N.B.*—1. The name of the manufacturer of the instrument offered should be specified.
2. Illustration of the instrument should be sent with the quotation.

---

*No. S. P. C. 27806-8, dated 15th April 1939.*

To

*The Firms dealing in Stoneware Pipes and Bends.*

*Enquiry No. 3393.*

STONEWARE PIPES AND BENDS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below:—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your

expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Stoneware Pipes and Bends" with the above enquiry Number.

This enquiry will be closed on the 29th April 1939.

*Schedule.*

| Item No. | Dsecription of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | | | *Mysore.* | |
| 1 | 6″ diameter stoneware pipes, each of 2 ft. length .. | 260 | | |
| 2 | 6″ diameter stoneware bends. .. .. .. | 2 | | |

*N.B.* The pipes and bends should be manufactured by more refractory clays free from lime and its compounds, vitrified throughout their substance. They should be salt glazed, free from flaws, bends and small holes.

---

*No. S. P. C.* 27828-47, *dated* 15*th April* 1939.

To

*The Firms dealing in Metals.*

*Enquiry No.* 3395.

METALS.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below :—

(1) Lead Pig refined pure Burmah mined to I. S. D. Specification No. N. 5-29 .. .. 2 tons
(2) Tin ingot refined to I. S. D. Specification No. N 8-29 (Penang Tin) .. .. 2 tons
(3) Antimony refined to I. S. D. Specification No. 9-28 .. .. .. .. 5 Cwts.
(4) Eyre antifriction metal Tanden "C" grade for bearings of railway carriages .. 20 Cwts.
(5) Do do Tanden "A" grade .. .. .. .. 15 Cwts.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The prices to be quoted should be for delivery, f.o.r., Mysore South Station, based on Railway Material Certificate rates.

(2) Analyses of the materials offered as also the test certificates of the Government Test House, Alipore, should be furnished with the quotation, without which tenders will not be considered. To satisfy ourselves as to whether the supply is according to our specification or the approved sample, we reserve the right to get test checks made at our Government Industrial and Testing Laboratory. The cost of such tests should be borne by the supplying firms.

(3) Samples weighing not less than 2 *ounces of the material offered* should be submitted for our examination without which quotations will not be considered.

(4) Quotations for delivery from stocks will be preferred as it is proposed to place orders for supply in one single lot if the prices quoted to us are very favourable.

(5) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchase being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Metals and Ingots," with the above Enquiry Number.

This enquiry will be closed on the 1st May 1939.

---

*No. S. P. C.* 27937-48, *dated* 17*th April* 1939.

To

*The Firms dealing in Levelling Instruments.*

*Enquiry No.* 3396.

LEVELLING INSTRUMENTS.

DAR SIR-GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Levelling Instruments" with the above enquiry Number.

This enquiry will be closed on the 8th May 1939.

*Schedule.*

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. | Time of delivery |
|---|---|---|---|---|
| | | | *Kolar.* | |
| | Surveyor's Level of the Specification is given below:— Magnification X 25, Equivalent focal length 8.2 inches. Aperture 1.5 inches. Diaphragm simple cross with stadia lines 1 : 100. Distance at which .01 ft. can be resolved 1,000 ft. Complete with prismatic level reader, circle and one-piece tripod, box and spare parts .. .. | Two | | |

*No. S. P. C.* 27949-68, *dated* 17*th April* 1939.

To

*The Firms dealing in Electric Equipment.*

*Enquiry No.* 3397.

ELECTRIC MOTORS, BLOWERS, ETC., REQUIRED FOR GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, f.o.r., Bangalore City, and the earliest time of delivery for the materials described in the attached schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Electric motors, Blowers, etc., required for Government Electric Factory" with the above enquiry Number.

This enquiry will be closed on the 18th May 1939.

*Schedule.*

Item No. 1.—*Blower:*—Roots Patent, Direct Motor Driven, Low Pressure Positive Blower having Volumetric displacement of 3,000 c.ft. per minute with 10 per cent diameter outlet. The pressure to be maintained is 14 ozs. *One*

Item No. 2.—10 *H. P. Motor:*—Squirrel Cage, Induction Type Electric Motor for an output of 10 H. P. at 1440 r.p.m., complete with pulley and slide rails and foundation belts .. .. .. .. .. *One*

Item No. 3.—*Starters:*—Fully automatic starters preferably of air-break type for the above motors. Current supply is of A. C. Three phase, 25 cycles and 220 vs. .. .. .. .. .. .. *Two*

Yours faithfully,
T. RANGASWAMI,
*Secretary,*
*Stores Purchase Committee.*